



Ozgene ARC

Price list effective 1 January 2024

(no change from 2023)

Excluding GST

**SPF Mice and Rats
Transgenic and knockout mice
Custom Breeding**

PO Box 1128 • Bentley DC • WA 6983
Phone (08) 9212 2255 • (Overseas +618 9212 2255)
Email arc@ozgene.com • Web site www.ozgene.com

Subject to:

<https://www.ozgene.com/2023/03/ozgene-arc-terms-and-conditions/>

MOUSE PRICE LIST

| STRAIN | Nomenclature | coat colour Strain Type | Sex | Price - weeks of age | | | | | | | | TIMED MATE ADVANCED & PALPATE PREGNANT | LACTATING FEMALE | PRE-WEANED 1-6 DAYS | PRE-WEANED 7-13 DAYS | PRE-WEANED 14-21 DAYS | EX BREEDER 6 to 9 months of age |
|---------------------------------|---|-------------------------------|--------|----------------------|-------|--------|--------|--------|--------|--------|--------|---|---------------------|------------------------|-------------------------|--------------------------|---------------------------------------|
| | | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | | | | |
| Inbred (JAX strain code) | | | | | | | | | | | | | | | | | |
| A/J | A/JOzarc | albino | Male | 51.75 | 52.49 | 53.94 | 54.66 | 55.74 | 57.56 | 58.98 | 60.40 | | | 18.86 | 30.71 | 47.77 | 59.93 |
| | | IB | female | 53.16 | 53.92 | 55.42 | 56.15 | 57.26 | 59.14 | 60.60 | 62.06 | 196.41 | 59.34 | 18.86 | 30.71 | 47.77 | 59.93 |
| BALB/c | BALB/cOzarc | albino | Male | 28.02 | 28.95 | 29.54 | 30.13 | 31.34 | 32.25 | 33.43 | 34.61 | | | 12.66 | 20.62 | 29.58 | 41.84 |
| | | IB | female | 29.88 | 30.87 | 31.50 | 32.14 | 33.43 | 34.39 | 35.65 | 36.91 | 176.57 | 39.84 | 12.66 | 20.62 | 29.58 | 41.84 |
| C3H/HeJ (000659) | C3H/HeJOzarc | agouti | Male | 34.61 | 35.70 | 36.41 | 37.50 | 38.62 | 39.72 | 41.14 | 42.58 | | | 14.86 | 24.20 | 35.20 | 47.23 |
| | | IB | female | 35.55 | 36.67 | 37.41 | 38.53 | 39.68 | 40.80 | 42.27 | 43.74 | 183.40 | 46.76 | 14.86 | 24.20 | 35.20 | 47.23 |
| C57BL/6J (000664) | C57BL/6JOzarc | black | Male | 30.48 | 31.49 | 32.13 | 32.78 | 34.10 | 35.08 | 36.37 | 37.65 | | | 13.47 | 21.93 | 31.61 | 44.50 |
| | | IB | female | 31.93 | 32.99 | 33.66 | 34.34 | 35.72 | 36.74 | 38.09 | 39.44 | 179.10 | 42.38 | 13.47 | 21.93 | 31.61 | 44.50 |
| C57BL/10ScSn | C57BL/10ScSnOzarc | black | Male | 42.54 | 43.20 | 44.21 | 44.88 | 45.91 | 47.24 | 48.56 | 49.89 | | | 16.39 | 26.69 | 40.99 | 53.43 |
| | | IB | female | 41.41 | 42.05 | 43.03 | 43.68 | 44.69 | 45.98 | 47.27 | 48.56 | 188.21 | 51.57 | 16.39 | 26.69 | 40.99 | 53.43 |
| CBA/CaH | CBA/CaHOzarc | agouti | Male | 30.59 | 31.56 | 32.19 | 33.15 | 34.14 | 35.11 | 36.37 | 37.63 | | | 12.57 | 20.48 | 29.48 | 40.35 |
| | | IB | female | 29.78 | 30.72 | 31.33 | 32.26 | 33.23 | 34.17 | 35.40 | 36.63 | 176.28 | 39.56 | 12.57 | 20.48 | 29.48 | 40.35 |
| DBA/2J (000671) | DBA/2JOzarc | dilute brown | Male | 45.85 | 46.56 | 47.65 | 48.36 | 49.48 | 50.91 | 52.34 | 53.77 | | | 18.52 | 30.16 | 46.63 | 58.84 |
| | | IB | female | 47.10 | 47.83 | 48.96 | 49.69 | 50.84 | 52.31 | 53.78 | 55.24 | 194.90 | 58.26 | 18.52 | 30.16 | 46.63 | 58.84 |
| FVB/N (001800) | FVB/NJOzarc | albino | Male | 32.58 | 33.61 | 34.28 | 35.31 | 36.36 | 37.39 | 38.74 | 40.09 | | | 14.02 | 22.83 | 33.14 | 45.00 |
| | | IB | female | 33.48 | 34.53 | 35.22 | 36.27 | 37.36 | 38.42 | 39.80 | 41.18 | 180.84 | 44.12 | 14.02 | 22.83 | 33.14 | 45.00 |
| NOD/Lt (001976) | NOD/ShiLtJOzarc | albino | Male | 52.08 | 52.82 | 54.29 | 55.01 | 56.09 | 57.94 | 59.36 | 60.80 | | | 20.81 | 33.89 | 52.97 | 66.13 |
| | | IB | female | 53.51 | 54.27 | 55.78 | 56.51 | 57.63 | 59.52 | 60.99 | 62.46 | 202.12 | 65.48 | 20.81 | 33.89 | 52.97 | 66.13 |
| Congenic | | | | | | | | | | | | | | | | | |
| BLA/J | B6.A-Dysf ^{prmd} /GeneJOzarc | black | Male | 93.93 | 95.28 | 97.90 | 99.22 | 101.17 | 104.48 | 107.05 | 109.64 | | | 36.76 | 59.86 | 95.53 | 116.81 |
| | | IB | female | 96.50 | 97.88 | 100.59 | 101.92 | 103.93 | 107.34 | 109.99 | 112.64 | 252.30 | 115.66 | 36.76 | 59.86 | 95.53 | 116.81 |
| B6.SJL-Ptprca (002014) | B6.SJL-Ptprca ^a Peprca ^b /BoyJOzarc | black | Male | 48.47 | 49.16 | 50.52 | 51.19 | 52.20 | 53.91 | 55.24 | 56.58 | | | 19.74 | 32.15 | 50.19 | 63.35 |
| | | IB | female | 50.69 | 51.42 | 52.84 | 53.54 | 54.60 | 56.39 | 57.78 | 59.18 | 198.83 | 62.11 | 19.74 | 32.15 | 50.19 | 63.35 |

MOUSE PRICE LIST

| STRAIN | Nomenclature | coat colour Strain Type | Sex | Price - weeks of age | | | | | | | | TIMED MATE ADVANCED & PALPATE PREGNANT | LACTATING | PRE-WEANED 1-6 DAYS | PRE-WEANED 7-13 DAYS | PRE-WEANED 14-21 DAYS | EX BREEDER 6 to 9 months of age |
|--|---|----------------------------|--------|----------------------|--------|--------|--------|--------|--------|--------|--------|---|-----------|------------------------|-------------------------|--------------------------|---------------------------------------|
| | | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | | | | |
| Mutant | | | | | | | | | | | | | | | | | |
| BALB/c Nude | BALB/c-Foxn1nu/Ozarc | albino | Male | 128.05 | 129.37 | 130.25 | 131.17 | 132.90 | 134.23 | 135.99 | 137.76 | | | 47.84 | 77.91 | 132.95 | 155.04 |
| | | MIB | female | 134.30 | 135.69 | 136.61 | 137.58 | 139.39 | 140.78 | 142.63 | 144.48 | 435.98 | 150.53 | 47.84 | 77.91 | 132.95 | 155.04 |
| mdx | C57BL/10ScSn-Dmdmdx/Ozarc | black | Male | 101.51 | 102.56 | 103.26 | 103.98 | 105.35 | 106.40 | 107.80 | 109.20 | | | 34.74 | 56.57 | 97.81 | 113.34 |
| | | MIB | female | 98.80 | 99.82 | 100.50 | 101.21 | 102.54 | 103.56 | 104.92 | 106.29 | 245.94 | 109.30 | 34.74 | 56.57 | 97.81 | 113.34 |
| SCID | C.B-17/lcrHanHsd-Prkdcscid/Ozarc | albino | Male | 104.55 | 105.63 | 106.35 | 107.10 | 108.52 | 109.60 | 111.04 | 112.48 | | | 35.33 | 57.54 | 96.83 | 119.60 |
| | | MIB | female | 97.81 | 98.82 | 99.49 | 100.20 | 101.52 | 102.53 | 103.88 | 105.22 | 396.72 | 111.16 | 35.33 | 57.54 | 96.83 | 119.60 |
| NOD/SCID | NOD.CB17-Prkdcscid/Ozarc | albino | Male | 97.81 | 98.82 | 99.49 | 100.19 | 101.51 | 102.52 | 103.87 | 105.22 | | | 36.96 | 60.19 | 101.55 | 119.78 |
| | | MIB | female | 102.58 | 103.64 | 104.35 | 105.08 | 106.47 | 107.53 | 108.94 | 110.36 | 401.86 | 116.29 | 36.96 | 60.19 | 101.55 | 119.78 |
| Induced mutant - require an NLRD number | | | | | | | | | | | | | | | | | |
| A2Kb | C57BL/6J-Tg(HLA-A2/H2-K) 6Scr/HsdOzarc | grey/ fawn | Male | 95.95 | 96.97 | 97.65 | 98.36 | 99.71 | 100.73 | 102.09 | 103.44 | | | 35.66 | 58.08 | 97.60 | 113.33 |
| | | GMB | female | 98.58 | 99.63 | 100.33 | 101.06 | 102.44 | 103.50 | 104.89 | 106.28 | 245.93 | 112.21 | 35.66 | 58.08 | 97.60 | 113.33 |
| APOE (002052) | B6.129P2-Apoetm1Unc/JOzarc | black | Male | 72.40 | 73.66 | 75.37 | 76.63 | 77.90 | 80.43 | 82.10 | 83.76 | | | 26.87 | 43.76 | 69.76 | 87.64 |
| | | GMB | female | 70.47 | 71.69 | 73.36 | 74.59 | 75.82 | 78.29 | 79.90 | 81.52 | 221.18 | 84.54 | 26.87 | 43.76 | 69.76 | 87.64 |
| RAG1 | B6.SVJ129-Rag1tm1Bal/Ozarc | black | Male | 94.04 | 95.04 | 95.70 | 96.40 | 97.72 | 98.72 | 100.05 | 101.37 | | | 33.19 | 54.06 | 90.61 | 110.36 |
| | | GMB | female | 91.53 | 92.50 | 93.15 | 93.82 | 95.11 | 96.09 | 97.38 | 98.67 | 390.17 | 104.44 | 33.19 | 54.06 | 90.61 | 110.36 |
| Transgenic - require an NLRD number | | | | | | | | | | | | | | | | | |
| NOD scid gamma (JAX strain 005557*) | NOD.Cg-Prkdcscid Il2rgtm1Wjl/SzJOzarc | albino Tg | Male | 75.80 | 76.61 | 77.14 | 77.70 | 78.77 | 79.58 | 80.65 | 81.71 | | | 30.44 | 49.57 | 82.60 | 102.47 |
| | | | female | 83.43 | 84.32 | 84.91 | 85.53 | 86.70 | 87.59 | 88.77 | 89.94 | 381.44 | 95.77 | 30.44 | 49.57 | 82.60 | 102.47 |
| K18-hACE2 (JAX strain 034860*) | B6.Cg-Tg(K18-ACE2)2Prltm/JOzarc | black GMB | Male | 90.55 | 91.52 | 92.16 | 92.83 | 94.10 | 95.06 | 96.35 | 97.62 | | | 34.41 | 56.04 | 94.02 | 109.34 |
| NOD Rag gamma (JAX strain 007799*) | NOD.Cg-Rag1tm1Mom Il2rgtm1Wjl/SzJOzarc | albino Tg | female | 94.97 | 95.99 | 96.66 | 97.36 | 98.69 | 99.70 | 101.05 | 102.38 | 393.88 | 108.26 | 34.41 | 56.04 | 94.02 | 109.34 |
| Hybrid | | | | | | | | | | | | | | | | | |
| F1 Hybrid e.g. B6D2F1 | B6D2F1/JOzarc, CBB6F1/JOzarc | black | Male | 43.38 | 44.06 | 45.09 | 45.76 | 46.82 | 48.17 | 49.52 | 50.88 | | | 17.13 | 27.89 | 42.95 | 54.43 |
| | | F1 | female | 43.38 | 44.06 | 45.09 | 45.76 | 46.82 | 48.17 | 49.52 | 50.88 | 190.53 | 53.89 | 17.13 | 27.89 | 42.95 | 54.43 |
| OUTBRED MOUSE PRICE LIST | | | | | | | | | | | | | | | | | |
| ARC(s) | Arc:Arc(S) | albino | Male | 13.59 | 14.57 | 15.81 | 16.46 | 17.08 | 18.02 | 19.26 | 20.50 | | | 7.77 | 12.65 | 13.46 | 24.93 |
| NIH | Arc:NIH | OB | female | 14.26 | 15.28 | 16.58 | 17.26 | 17.91 | 18.90 | 20.20 | 21.50 | 95.70 | 24.44 | 7.77 | 12.65 | 13.46 | 24.93 |

*subject to JAX Leap License, additional fees apply to companies or for-profit entities: K18-hACE2 \$76.50/mouse, NSG & NRG \$252/mouse

MOUSE PRICE LIST BY WEIGHT

| Outbred | | Weight in grams | | 0-15 | 16-20 | 21-25 | 26-30 | >30 | |
|-----------------------|---|-----------------|--------|--------|--------|--------|--------|--------|--------|
| ARC(s) | Arc:Arc(S) | albino | Male | 15.04 | 16.02 | 17.26 | 17.91 | 18.53 | |
| NIH | Arc:NIH | OB | female | 16.73 | 18.03 | 18.71 | 19.36 | 20.35 | |
| Inbred | | Weight in grams | | 8-10 | 11-13 | 14-16 | 17-19 | 20-22 | 23-25 |
| BALB/c | BALB/cOzarc | albino | Male | 32.64 | 33.57 | 34.16 | 34.75 | 35.96 | 39.23 |
| | | IB | female | 35.49 | 36.12 | 36.75 | 40.27 | 43.27 | - |
| C3H/HeJ | C3H/HeJOzarc | agouti | Male | 39.22 | 40.31 | 41.03 | 42.12 | 43.24 | 45.76 |
| | | IB | female | 41.29 | 42.02 | 43.14 | 44.30 | 46.89 | - |
| C57BL/6J | C57BL/6JOzarc | black | Male | 35.10 | 36.11 | 36.75 | 37.40 | 38.72 | 40.98 |
| | | IB | female | 37.60 | 38.28 | 38.95 | 41.36 | 45.80 | - |
| C57BL/10ScSn | C57BL/10ScSnOzarc | black | Male | 47.16 | 47.82 | 48.83 | 49.49 | 50.53 | 51.86 |
| | | IB | female | 46.03 | 46.67 | 47.65 | 48.30 | 50.60 | 53.18 |
| CBA/CaH | CBA/CaHOzarc | agouti | Male | 35.21 | 36.80 | 37.77 | 38.76 | 39.72 | 40.99 |
| | | IB | female | 35.33 | 35.95 | 36.88 | 38.79 | 41.25 | - |
| mdx | C57BL/10ScSn-Dmd ^{mdx} /Ozarc | black | Male | 106.13 | 107.17 | 107.87 | 108.60 | 109.97 | 111.02 |
| | | IB | female | 103.42 | 104.44 | 105.12 | 105.83 | 108.18 | 110.90 |
| NOD/Lt | NOD/ShiLtJOzarc | albino | Male | 56.70 | 57.44 | 58.91 | 59.62 | 60.71 | 62.55 |
| | | IB | female | 58.12 | 58.89 | 61.13 | 62.25 | 65.61 | - |
| B6.SJL-Ptprca | B6.SJL-Ptprca ^a Peprca ^b /BoyJArc | black | Male | 53.08 | 53.78 | 55.14 | 55.81 | 56.82 | 59.86 |
| | | IB | female | 56.04 | 57.46 | 58.16 | 61.01 | 65.54 | - |
| Mutant | | | | | | | | | |
| SCID | C.B-17/lcrHanHsd-Prkdcscid/Ozarc | albino | Male | 121.23 | 122.31 | 123.03 | 123.78 | 126.28 | 129.16 |
| | | MIB | female | 114.49 | 116.17 | 118.20 | 120.56 | 121.90 | - |
| NOD/SCID | NOD.CB17-Prkdcscid/Ozarc | albino | Male | 114.49 | 115.50 | 116.18 | 116.88 | 119.21 | 121.90 |
| | | MIB | female | 119.26 | 121.03 | 123.15 | 125.62 | 127.04 | - |
| BALB/c Nude | BALB/c-Foxn1nu/Ozarc | albino | Male | 146.05 | 146.93 | 147.85 | 149.58 | 154.44 | 154.80 |
| | | MIB | female | 152.37 | 153.29 | 156.07 | 161.16 | - | - |
| Hybrid | | | | | | | | | |
| F1 Hybrid e.g. B6D2F1 | B6D2F1/Ozarc, CBB6F1/Ozarc | | Male | 48.00 | 48.67 | 49.71 | 50.38 | 51.44 | 52.79 |
| | | F1 | female | 48.00 | 48.67 | 49.71 | 50.38 | 54.14 | 57.29 |

RAT PRICE LIST

| STRAIN | Nomenclature | coat colour Strain Type | Sex | Price - weeks of age | | | | | | | | TIMED MATE ADVANCED & PALPATE PREGNANT | LACTACTING | PRE-MEANED 1-6 DAYS | PRE-MEANED 7-13 DAYS | PRE-MEANED 14-21 DAYS | EX BREEDER 6 to 9 months of age |
|----------------|--------------------------------|-------------------------------|--------|----------------------|--------|--------|--------|--------|--------|--------|--------|---|------------|------------------------|-------------------------|--------------------------|---------------------------------------|
| | | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | | | | |
| Inbred | | | | | | | | | | | | | | | | | |
| BN | BN/RijHsdOzarc | brown IB | Male | 80.70 | 84.44 | 88.50 | 91.53 | 95.62 | 99.67 | 103.76 | 107.82 | | | 46.65 | 50.14 | 77.76 | 119.93 |
| | | | female | 78.55 | 82.19 | 86.14 | 89.09 | 93.07 | 97.01 | 100.99 | 104.94 | 307.16 | 120.14 | 46.65 | 50.14 | 77.76 | 119.93 |
| DA | DA/Ozarc | agouti IB | Male | 56.31 | 59.00 | 61.38 | 64.76 | 67.80 | 69.86 | 74.27 | 77.31 | | | 34.67 | 37.26 | 54.26 | 89.11 |
| LEW/Cri | LEW/CriOzarc | albino IB | female | 54.80 | 57.42 | 59.74 | 63.03 | 66.00 | 68.00 | 72.29 | 75.25 | 276.65 | 89.27 | 34.67 | 37.26 | 54.26 | 89.11 |
| F344 | F344/Ozarc | albino IB | Male | 65.69 | 68.65 | 71.94 | 74.26 | 77.56 | 80.86 | 84.16 | 87.46 | | | 38.65 | 41.54 | 66.82 | 101.78 |
| PVG/c | PVG/cOzarc | BL hood IB | female | 67.49 | 70.53 | 73.92 | 76.29 | 79.68 | 83.07 | 86.46 | 89.86 | 289.20 | 99.54 | 38.65 | 41.54 | 66.82 | 101.78 |
| SHR | SHR/NCr/Ozarc | albino IB | Male | 73.37 | 76.67 | 80.35 | 82.94 | 86.62 | 90.31 | 94.00 | 97.68 | | | 42.79 | 45.99 | 70.69 | 110.00 |
| | | | female | 71.41 | 74.63 | 78.21 | 80.72 | 84.31 | 87.90 | 91.49 | 95.08 | 297.02 | 110.19 | 42.79 | 45.99 | 70.69 | 110.00 |
| WKY | WKY/NCr/Ozarc | albino IB | Male | 67.49 | 70.53 | 73.92 | 76.29 | 79.68 | 83.07 | 86.46 | 89.86 | | | 39.59 | 42.56 | 65.03 | 101.78 |
| | | | female | 65.69 | 68.65 | 71.94 | 74.26 | 77.56 | 80.86 | 84.16 | 87.46 | 289.20 | 101.96 | 39.59 | 42.56 | 65.03 | 101.78 |
| Mutant | | | | | | | | | | | | | | | | | |
| CBH-rnu/Arc | CBH-Foxn1 ^{mu} /Ozarc | BI Hood MIB | Male | 230.76 | 234.50 | 238.18 | 242.31 | 246.43 | 250.56 | 255.09 | 264.96 | | | 112.85 | 121.29 | 226.32 | 290.09 |
| | | | female | 228.61 | 232.30 | 235.96 | 240.04 | 244.13 | 248.21 | 252.71 | 262.48 | 691.84 | 290.61 | 112.85 | 121.29 | 226.32 | 290.09 |
| Outbred | | | | | | | | | | | | | | | | | |
| SPRAGUE DAWLEY | OzarcCri:CD(SD)JGS | albino OB | Male | 37.03 | 39.42 | 41.46 | 43.54 | 45.94 | 48.31 | 51.05 | 53.73 | | | 15.11 | 27.02 | 35.05 | 64.99 |
| | | | female | 35.40 | 37.69 | 39.63 | 41.63 | 43.92 | 46.19 | 48.80 | 51.37 | 227.61 | 65.10 | 15.11 | 27.02 | 35.05 | 64.99 |
| WISTAR | OzarcCri:WI | albino OB | Male | 38.08 | 40.55 | 42.64 | 44.79 | 47.25 | 49.69 | 52.51 | 55.26 | | | 15.54 | 27.80 | 36.05 | 66.84 |
| | | | female | 36.41 | 38.77 | 40.77 | 42.82 | 45.18 | 47.51 | 50.20 | 52.83 | 229.68 | 66.96 | 15.54 | 27.80 | 36.05 | 66.84 |
| LONG EVANS | OzarcSIM:LE | BI Hood OB | Male | 56.13 | 58.82 | 61.20 | 64.58 | 67.62 | 69.68 | 74.09 | 77.13 | | | 20.67 | 36.98 | 54.08 | 88.93 |
| | | | female | 54.63 | 57.25 | 59.56 | 62.86 | 65.82 | 67.82 | 72.12 | 75.07 | 251.96 | 89.09 | 20.67 | 36.98 | 54.08 | 88.93 |

RAT WEIGHT PRICE LIST

| STRAIN | Nomenclature | coat colour Strain Type | Sex | weight in grams | | | | | | | | | | | | | |
|----------------|--------------------|-------------------------------|-----------|-----------------|-------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | | | | <50 | 51-75 | 76-100 | 101-125 | 126-150 | 151-175 | 176-200 | 201-225 | 226-250 | 251-275 | 276-300 | 301-325 | 326-350 | >350 |
| Inbred | | | | | | | | | | | | | | | | | |
| BN | BN/RijHsdOzarc | brown | Male | 88.51 | 92.24 | 96.30 | 99.34 | 103.43 | 107.48 | 111.57 | 115.62 | 120.17 | 125.58 | | | | |
| | | | IB female | 86.35 | 89.99 | 93.94 | 100.87 | 108.80 | 112.75 | 120.45 | | | | | | | |
| DA | DA/Ozarc | agouti | Male | 64.11 | 66.80 | 69.18 | 74.07 | 77.18 | 79.28 | 83.77 | 86.87 | 93.37 | 98.98 | | | | |
| LEW/Crl | LEW/CrlOzarc | IB | female | 62.61 | 65.23 | 68.97 | 72.32 | 75.33 | 84.77 | 95.07 | 108.68 | | | | | | |
| F344 | F344/Ozarc | albino | Male | 73.49 | 74.52 | 76.45 | 79.75 | 82.06 | 85.36 | 88.66 | 91.96 | 94.59 | 100.00 | 113.36 | | | |
| PVG/c | PVG/cOzarc | IB | female | 75.29 | 78.33 | 81.72 | 84.09 | 87.49 | 97.66 | 105.78 | | | | | | | |
| SHR | SHR/NCrIOzarc | albino | Male | 81.17 | 84.47 | 88.15 | 90.74 | 94.42 | 98.11 | 101.80 | 105.48 | 107.49 | 112.90 | 126.25 | 139.61 | 152.97 | |
| | | | IB female | 79.21 | 82.43 | 86.01 | 88.52 | 95.70 | 103.02 | 108.33 | | | | | | | |
| WKY | WKY/NCrIOzarc | albino | Male | 75.29 | 76.33 | 78.33 | 81.72 | 84.09 | 87.49 | 90.88 | 94.27 | 96.97 | 102.37 | 115.73 | 125.95 | | |
| | | | IB female | 73.49 | 76.45 | 79.75 | 82.06 | 85.36 | 91.96 | 98.14 | | | | | | | |
| Outbred | | | | | | | | | | | | | | | | | |
| SPRAGUE DAWLEY | OzarcCrl:CD(SD)JGS | albino | Male | 40.24 | 44.87 | 46.48 | 47.72 | 49.09 | 50.14 | 51.27 | 52.71 | 54.20 | 57.14 | 60.16 | 63.42 | 66.80 | 69.87 |
| | | | OB female | 38.62 | 40.91 | 42.85 | 44.85 | 47.14 | 49.40 | 52.02 | 54.58 | 60.08 | 65.39 | 78.50 | | | |
| WISTAR | OzarcCrl:WI | albino | Male | 41.30 | 45.96 | 47.61 | 48.89 | 50.30 | 51.37 | 52.53 | 54.01 | 55.54 | 58.56 | 61.66 | 65.00 | 68.47 | 71.11 |
| | | | OB female | 39.63 | 41.99 | 43.98 | 46.04 | 48.39 | 50.72 | 53.41 | 56.05 | 60.08 | 65.39 | 78.50 | 91.61 | 104.71 | |
| LONG EVANS | OzarcSIM:LE | Bl Hood | Male | 59.34 | 62.56 | 67.01 | 68.85 | 70.86 | 72.41 | 74.07 | 76.21 | 78.40 | 82.73 | 87.18 | 91.99 | 96.97 | 100.77 |
| | | | OB female | 57.84 | 60.46 | 62.78 | 66.07 | 69.04 | 71.04 | 75.33 | 78.29 | 81.70 | 87.01 | 97.03 | | | |

Serum or Plasma Price/ml. \$

| Undesignated | Mouse | | Rat | |
|--------------|------------------------|------------------------|------------------------|------------------------|
| | Inbred | Outbred | Inbred | Outbred |
| | \$39.01 | \$35.83 | \$14.71 | \$14.05 |
| Designated | \$39.01 + animal price | \$35.83 + animal price | \$14.71 + animal price | \$14.05 + animal price |

Prices for blood, serum or plasma from individual animals (non-pooled) or specialised handling will be quoted on request.

Surgical Procedures: Price on application, please E-mail: orders@arc.wa.gov.au

Aged Animals

Animals 11 weeks and over are classed as aged animals. Animals 18 weeks and older being housed long term will be invoiced at 10 weeks of age and then housing charges will be invoiced monthly. Please ask for a quotation. C57BL/6J mice are available in stock up to two years of age. Serum and tissue from aged C57BL/6J mice available on request.

Internal Institutional Breeding

Pedigreed animals may be available. Please contact arc@ozgene.com for further information.

Custom Strains Maintenance charges

Please contact arc@ozgene.com for information.

Embryo Rederivation of rodents

Rederivation of mice consists of a series of steps and is dependent on the strain reproductive characteristics and number of breeders supplied.

Cryopreservation of Embryos

The total cost varies with the strain, reproductive performance and number of embryos required. A comprehensive quote is provided when these details are known.

Cryopreservation of Sperm

A comprehensive quote can be provided. For further information please contact arc@ozgene.com.

Exports - Ozgene ARC can ship animals with Health Certificates to most countries.

A comprehensive quote is provided on request. Contact arc@ozgene.com.

Importing Animals - Ozgene ARC can source and import animals from within Australia or overseas. A comprehensive quote is provided on request. Contact arc@ozgene.com

Animal Transportation

Delivery boxes - IATA compliant shippers: (subject to change)

Prices include gel packs

Please note: K18-hACE2 mice will be despatched in International shippers

| | | | | |
|-----------------|-------|----------------|------------------|----------------|
| National | large | \$62.97 | plus divider add | \$18.75 |
| | small | \$34.18 | plus divider add | \$15.76 |

| | | | |
|----------------------|-------|-----------------|-----------------------|
| International | large | \$121.00 | international shipper |
| | small | \$66.91 | international shipper |

Highlighted services are currently on hold, to be introduced at a later date.

Prices are correct at time of uploading and are subject to change.